

Hi-Smart
H3 LED UFO High Bay Light
IP67
SEVEN- YEAR
7
WARRANTY
180LM/W
BA
LIGHTING
c UL us
E484577
DLC QPL
LISTED
SAA
APPROVALS
TÜV
SÜD
VEET CB IK10

H3 LED UFO High Bay Light






120°


Product Description

- Ultra slim heat sink design makes the lamp lighter and better in heat dissipation
- High lumen SMD3030 chip, luminous efficacy 180lm/w
- Waterproof IP67,high thermal conductivity housing
- Beam angle 120 degree PC lens with transmittance 92%
- Support all kinds of intelligent sensors(Microwave, Daylight, Camera)



kWh/1000h








VEET IK10

H3 LED UFO High Bay Light


Features

Stainless steel waterproof plug

Ultra slim heat sink design makes the lamp lighter and better in heat dissipation



Support all kinds of intelligent sensors(Microwave, Daylight, Camera)



Silicone gasket


Beam angle 120 degree
PC lens with transmittance up to 92%

High lumen SMD3030 chip, luminous efficacy 180lm/w

H3 LED UFO High Bay Light

Accessories







Motion sensor




Daylight sensor



Zigbee wireless control

H3 LED UFO High Bay Light

SEVEN - YEAR 7 WARRANTY




100W SPECIFICATIONS

Technical Data

Model Number	HS-HB100W-H3
Power	100W
Luminous Efficacy	180lm/W
Lumen Output	18000lm
LED Quantity	154pcs
Dimension	φ340*113mm
CCT	3000K 4000K 5000K 6000K (Custom Option)
CRI	>80Ra
System Efficiency	≥90%
Lens	120°


Product Dimensions



Electrical Details

Input Voltage	AC100-277V/347V/480V
Power Frequency	50-60Hz
Output Voltage	DC36-48V
Power Efficiency	>92%
Power Factor	≥0.95
Total Harmonic Distortion	≤15%
Dimmable	Yes (Optional)

Photometrics




Other Details

IP Rating	IP67
Lifespan	100,000+ Hours
Storage Temperature	-20º~65ºC
Operating Temperature	-20º~65ºC
Luminaire Net Weight	4.7KG
Certification	UL,DLC Premium,SAA,TUV,VEET,CB
Color of housing	Black(customized)

VEET IK10

H3 LED UFO High Bay Light

SEVEN - YEAR 7 WARRANTY




150W
SPECIFICATIONS

Technical Data

Model Number	HS-HB150W-H3
Power	150W
Luminous Efficacy	180lm/W
Lumen Output	27000lm
LED Quantity	210pcs
Dimension	φ340*113mm
CCT	3000K 4000K 5000K 6000K (Custom Option)
CRI	>80Ra
System Efficiency	≥90%
Lens	120°


Product Dimensions



Electrical Details

Input Voltage	AC100-277V/347V/480V
Power Frequency	50-60Hz
Output Voltage	DC36-48V
Power Efficiency	>92%
Power Factor	≥0.95
Total Harmonic Distortion	≤15%
Dimmable	Yes (Optional)

Photometrics




Other Details

IP Rating	IP67
Lifespan	100,000+ Hours
Storage Temperature	-20°~65°C
Operating Temperature	-20°~65°C
Luminaire Net Weight	4.8KG
Certification	UL,DLC Premium,SAA,TUV,VEET,CB
Color of housing	Black(customized)

VEET IK10

H3 LED UFO High Bay Light

SEVEN - YEAR 7 WARRANTY





200W
SPECIFICATIONS

Technical Data

Model Number	HS-HB200W-H3
Power	200W
Luminous Efficacy	180lm/W
Lumen Output	36000lm
LED Quantity	288pcs
Dimension	φ340*113mm
CCT	3000K 4000K 5000K 6000K (Custom Option)
CRI	>80Ra
System Efficiency	≥90%
Lens	120°

Product Dimensions






Electrical Details

Input Voltage	AC100-277V/347V/480V
Power Frequency	50-60Hz
Output Voltage	DC36-48V
Power Efficiency	>92%
Power Factor	≥0.95
Total Harmonic Distortion	≤15%
Dimmable	Yes (Optional)

Photometrics




Other Details

IP Rating	IP67
Lifespan	100,000+ Hours
Storage Temperature	-20º~65ºC
Operating Temperature	-20º~65ºC
Luminaire Net Weight	4.9KG
Certification	UL,DLC Premium,SAA,TUV,VEET,CB
Color of housing	Black(customized)

VEET IK10

H3 LED UFO High Bay Light

SEVEN - YEAR
7
WARRANTY




250W
SPECIFICATIONS

Technical Data

Model Number	HS-HB250W-H3
Power	250W
Luminous Efficacy	180lm/W
Lumen Output	45000lm
LED Quantity	308pcs
Dimension	φ340*113mm
CCT	3000K 4000K 5000K 6000K (Custom Option)
CRI	>80Ra
System Efficiency	≥90%
Lens	120°


Product Dimensions



Electrical Details

Input Voltage	AC100-277V/347V/480V
Power Frequency	50-60Hz
Output Voltage	DC36-48V
Power Efficiency	>92%
Power Factor	≥0.95
Total Harmonic Distortion	≤15%
Dimmable	Yes (Optional)

Photometrics




Other Details


IP Rating	IP67
Lifespan	100,000+ Hours
Storage Temperature	-20°~65°C
Operating Temperature	-20°~65°C
Luminaire Net Weight	5KG
Certification	UL,DLC Premium,SAA,TUV,VEET,CB
Color of housing	Black(customized)

VEET IK10


H3 LED UFO High Bay Light

Installation





Application









Widely use in workshop,factory, warehouse,stadium,exhibition hall,supermarket,court,etc.

H3 LED UFO High Bay Light

Packing Info

Model No.	N.G(KG)	G.W (KG)	Pcs/carton	Carton Size(CM)
HS-HB100W-H3	4.7	5.7	1	41*41*16.5
HS-HB150W-H3	4.8	5.9	1	41*41*16.5
HS-HB200W-H3	4.9	6	1	41*41*16.5
HS-HB250W-H3	5	6.2	1	41*41*16.5

www.ba-lighting.no post@ba-lighting.no
Tlf.: 37 16 04 00
Adr. Holthesvei 2, 4848 ARENDAL